



QTY -101	P/N	DESCRIPTION
X	D2010-101	MIRROR BRACKET
1	D2010-1	BRACKET
4	FE-032-EF	INSERT



D2010-1F FLAT PATTERN




D2010-101 MIRROR BRACKET

RELEASED
08-06-19/11

- NOTES:**
- 1) MATERIAL: D2010-1F: 2024-T3 ALUMINUM SHEET, 0.063 THICK PER AMS-QQ-A-250/4 OR AMS 4037 (REF DART SPEC M2024T3S.063)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D2010-101" USING WHITE FINE POINT PERMANENT INK MARKER OR LABEL
 - 7) WEIGHT: 0.23 lbs

DESIGN	JB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D2010	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		MIRROR BRACKET	NTS
DATE	08.06.10	COPYRIGHT © 1990 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

QTY -103	P/N	DESCRIPTION
X	D2010-103	ARM
1	D2010-3	ARM
1	D2057	PLUG




RELEASED
08-06-10

- NOTES:
- 1) MATERIAL: D2010-3: AISI 304/316 SS SEAMLESS ROUND TUBING, Ø0.500 X 0.049 WALL (REF DART SPEC M304TR0.500W.049) \triangle
 - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D2010-103" USING WHITE FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 0.34 lbs

DESIGN	JB	DART AEROSPACE LTD	
DRAWN	JB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. D
MFG. APPR.	PH	D2010	SHEET 3 OF 4
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	MIRROR BRACKET	NTS
DATE	08.06.10	COPYRIGHT © 1990 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

QTY -104	P/N	DESCRIPTION
X	D2010-104	ARM
1	D2010-4	ARM
1	D2057	PLUG



RELEASED
08-06-10

- NOTES:
- 1) MATERIAL: D2010-4: AISI 304/316 SS SEAMLESS ROUND TUBING, $\phi 0.500 \times 0.049$ WALL (REF DART SPEC M304TR0.500W.049) \triangle
 - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D2010-104" USING WHITE FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 0.34 lbs

DESIGN	JB	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. D
MFG. APPR.		D2010	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		MIRROR BRACKET	NTS
DATE	08.06.10	COPYRIGHT © 1990 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	